LIGHTS
ITALIAN AESTHETIC
MYYOUR®

L I GH TS

ITALIAN AESTHETIC

MYYOUR®

INDEX

Piantane
Standing lamps

Joy
12 - 21

Hollywood
22 - 29

Penelope
32 - 37

Agata
38 - 47

Agata Wood
48 - 53

Ampoule XL
54 - 59

Tulip XL
62 - 69

Baby Love
78 - 79

Pandora
86 - 95

Elin
112 - 113

Sospensioni
Suspension lamps

Hollywood
30 - 31

Baby Love
82 - 83

Pandora
96 - 99

Elin
104 - 111

Nefos
114 - 119

Funnel
120 - 129

Bell
130 - 139

Crystal
152 - 153

Lampade da terra
Floor lamps

Pandora
100 - 101

Crystal
146 - 151

Treesmust
154 - 159

Lampade da tavolo
Table

Ampoule S
54 - 59

Tulip S
62 - 69

Baby Love
84 - 85

Bonsai
140 - 145

Light Tales
160 - 167

Galleggianti
Floating lamps

Baby Love
72 - 75

Pandora
102 - 103

Lampade da muro
Wall lamps

Baby Love
80 - 81

Tech index
Designer

Tech Index
168 - 169

Designer
174 - 175

My your è passione per il design, per la ricerca, fra linea e tecnologia, per competere nel mercato worldwide, sempre più esigente e in continua espansione.

Una vita nel colore, nella forma positiva, giocosa ed eccellente della materia plastica. Un team dinamico, preparato ed efficace per rispondere ad ogni richiesta del Cliente.

Un'azienda giovane, in cui l'interazione fra tecnologia ed esperienza trentennale nel settore delle materie plastiche, risulta essere la vera forza della libertà creativa, della diffusione e dell'eccellenza nel processo produttivo.

My your è, dopo dieci anni dalla sua fondazione, un'azienda consolidata, una coesione fra saper fare e un'identità in costante mutamento, sempre pronta ad accogliere nuovi trend, nuove esperienze creative per ogni esigenza, indoor e outdoor, dell'abitare.

My your is passion for design, research, between line and technology, to compete in a global market, increasingly demanding and ever expanding.

A life in color, in the positive, playful and excellent form of plastic material. A dynamic team, prepared and efficient to respond to every need of the Customer.

A young company, in which the interaction between technology and decades of experience in the plastics sector, appears to be the real strength of creative freedom, the spread and excellence in the industrial production.

My your is, after ten years since its foundation, established company, a cohesion between know-how and identity constantly changing, always ready to welcome new trends, new creative experiences for every need, indoor and outdoor living.

My your lights nasce dall'esigenza di valorizzare i prodotti luminosi già presenti nelle collezioni e dar loro un ruolo da protagonista nel palcoscenico del design contemporaneo.
Grazie alla tecnologia di produzione rotazionale, My your riesce a creare forme che nell'immaginario collettivo ci si aspetta in materiali diversi dal polietilene.
Quest'ultime sono iconiche e sposano perfettamente la luce, siano esse associate ad una lampada classica o ad elementi che mai ci si sarebbe aspettati di trovare illuminati.
La ricerca infine di finiture speciali come l'ossidato e il direct painting, già di successo per My your nell'arredamento da esterno, impreziosisce ulteriormente gli articoli accontentato le esigenze dei palati più fini.

My your lights is born from the need to enhance the lighting products already present in the collections and give them a leading role in the stage of contemporary design.
Thanks to the rotational production technology, My your is able to create shapes that in the collective imagination are expected in materials other than polyethylene.
The shapes are iconic and perfectly match the light, whether they are associated with a classic lamp or elements that one would never expect to find enlightened.
Finally, the search for special finishes such as oxidized and direct painting, already successful for My your in outdoor furniture, further embellishes the items satisfying the needs of the finest palates.

L I GH TS

ITALIAN AESTHETIC

JOY

Il vero protagonista di JOY é il Poleasy, materiale illuminato ed esaltato dall'accostamento con materiali preziosi ed inaspettati per il mondo dell'outdoor.
JOY, con la base in marmo e le sue perle di luce sorrette dall'asta di metallo con finitura rame, prende ispirazione dal mondo del gioiello classico ma è reso più contemporaneo da organiche superfici realizzate grazie a strumenti di modellazione digitale ed esaltate dal materiale plastico.
Le perle, grazie ai diversi supporti, permettono di declinare la lampada in vari formati e di adattarla a diversi contesti e funzioni: da importanti composizioni architettoniche fino al semplice punto luce.
Un gioiello di luce dalla grande presenza e dall'infinita grazia.

JOY's real protagonist is Poleasy, a lighted material exalted from the combination of valuable and unexpected materials regarding the outdoor world.
JOY has a marble basis and light pearls sustained by a copper finishing metal pole. JOY takes inspiration from the classic jewels world but it's more modern thanks to organic surfaces carried out through digital modelling instruments and exalted by plastic.
Thanks to the different holders, the pearls enable the lamp to be combined in various formats and adapted to different contexts and functions: from significant architectural compositions to the simple light source.
A light jewel with great appearance and endless charm.

Piantana Joy
Joy standing lamp

Piantana Joy
Joy standing lamp

Standing lamp



CE IP44 IP66

Material:
Poleasy
Methacrylate opal

Net weight:
40 kg

Volume packaging:

Finishing e colours:
OV: 177 pearly copper

Base Finishing:
Trani

Cable length:
3 mt black cable with plug

Power Input:
110-270V 50/60Hz

Power Consumption:
45W

Light source:
Led

Characteristic:
3000K - 5000lm - CRI80

Standing lamp



CE IP44 IP66

Material:
Poleasy
Methacrylate opal

Net weight:
40 kg

Volume packaging:

Finishing e colours:
OV: 177 pearly copper

Base Finishing:
Trani

Cable length:
3 mt black cable with plug

Power Input:
110-270V 50/60Hz

Power Consumption:
45W

Light source:
Led

Characteristic:
3000K - 5000lm - CRI80

HOLLYWOOD

Lampada dal design iconico e riconoscibile, dalla forte identità ed unica nel suo genere, Hollywood caratterizza ogni ambiente grazie al suo suggestivo impatto scenico.
La possibilità di regolarne l'intensità luminosa el'orientabilità del corpo illuminante la rende una lampada trasversale e adattabile a varie situazioni: può illuminare un'area lounge, una parete o
il soffitto, può caratterizzare l'ingresso di un locale o essere
affiancata tanto ad un divano quanto ad un'area lettura...
La lampada Hollywood, con il suo mood "fashion-industrial", conferisce ad ogni ambiente unsapore di set cinematografico, nel quale sentirsi deiprotagonisti sotto i riflettori.

Lamp with an iconic and recognizable design, with a strong identity and unique in its kind, Hollywood characterizes every location thanks to its evocative scenic impact.
The possibility of adjusting the light intensity and the directionability of the lighting body makes it a transversal lamp that can be adapted to various situations: it can illuminate a lounge area, a wall or ceiling, it can characterize the entrance of a room or it can be placed next as to a sofa as to a reading area ...
The Hollywood lamp, with its "fashion-industrial" mood, confers to every location a taste of film set, in which feeling the main character in the spotlight.

Piantane Hollywood
Hollywood standing lamps

Modì Zero divani e tavoli - catalogo Aesthetic
Modì Zero sofas and tables - Aesthetic catalogue

Piantane Hollywood
Hollywood standing lamps

Standing lamp





AVERAGE BEAM ANGLE(50%):113.6 DEG



CE IP44 IP66

Material:
Poleasy
Methacrylate opal

Net weight:
18 kg

Volume packaging:
1,15 mc

Finishing e colours:
GS: 117 white
92 brown
87 grey

OS: 500 rust
101 copper

OV: 180 pearl grey
162 dark pearl

Cable length:
3 mt black cable with plug

Switch:
Dimmable with remote control

Power Input:
110-270V 50/60Hz

Power Consumption:
33W

Light source:
Led plate

Characteristic:
3000K - 5000lm - CRI80

Standing lamp with battery

CE IP66

Power Input:
AC / DC 100 - 240V 50 / 60Hz

Power Output:
12V 28Ah lithium battery

Recharging and duration time:
8 - 10 h.

Power Consumption:
33W

Light source:
Led plate

Characteristic:
3000K - 5000lm - CRI80

CE IP20

Recharging method:
Battery charger (IP20)
12V 5Ah

Suspension





AVERAGE BEAM ANGLE(50%):113.5 DEG



CE IP66

Material:
Poleasy
Methacrylate opal

Net weight:
7 kg

Volume packaging:
0,22 mc

Finishing e colours:
GS: 117 white
92 brown
87 grey

OS: 500 rust
101 copper

OV: 180 pearl grey
162 dark pearl

Cable length:
3 mt black cable + suspension steel wire

Switch:
Dimmable with remote control

Power Input:
110-270V 50/60Hz

Power Consumption:
33W

Light source:
Led plate

Characteristic:
3000K - 5000lm - CRI80

Indoor rose ceiling detail

PENELOPE

Si ispira al mondo classico, ma sfoggia design, tecnologie e caratteristiche funzionali decisamente all'avanguardia.
Penelope di MYYOUR è fatta per stupire: per le dimensioni, per il design, per le proprietà funzionali e per le finiture essendo disponibile anche in ossidato.

It is inspired to the classic world, but it stands out for its avant-garde functional design, technology and features.
Penelope by MYYOUR intends to astonish: for its sizes, for its design, for its functional features and for the finishings being available also in oxidized.

Piantane Penelope
Penelope standing lamps

Standing lamp







IP20 **IP44**

Material:
Poleasy

Net weight:
14,5 kg

Volume packaging:
0,42 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt white cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
AC: 100-240V 50/60Hz
DC: 12V 5.0A

Power Consumption:
60W

Light source:
Strip Led White
Strip Led RGBW

Characteristic:
6200 - 5000 lm - CRI80 (white)
6200 - 5000 lm - CRI80 (rgbw)

Standing lamp with battery

IP66

Power Input:
AC/DC 100-240V 50/60Hz

Power Output:
12V 28Ah lithium battery

Recharging time:
6-8 h.

Duration time:
8-10 h.

Power Consumption:
36W

Light source:
Strip Led RGBW

Characteristic:
6500k - 3210lm - CRI80 (rgbw)

IP20

Recharging method:
Battery charger (IP20)
12V 5Ah

AGATA

Si ispira al mondo classico, ma sfoggia design, tecnologie e caratteristiche funzionali decisamente all'avanguardia.
Penelope di MYYOUR è fatta per stupire: per le dimensioni, per il design, per le proprietà funzionali e per le finiture essendo disponibile anche in ossidato.

It is inspired to the classic world, but it stands out for its avant-garde functional design, technology and features.
Penelope by MYYOUR intends to astonish: for its sizes, for its design, for its functional features and for the finishings being available also in oxidized.

Piantane Agata
Agata standing lamps

Standing lamp E27







CE IP20

Material:
Poleasy

Net weight:
20 kg

Volume packaging:
1,24 mc

IP20 IP66

Finishing e colours:
IL: 110 trasparent

OS: 500 rust*
101 copper*

*la verniciatura può variare l'intensità luminosa

Cable length:
2 mt white cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)
- Connector box (IP66)

Power Input:
110-240V - 50/60 Hz

Power Consumption:
5x max 32W E27

Light source:
Bulb (diam. max 74mm)

Characteristic:
N.C.

Standing lamp LED

CE IP44

Material:
Poleasy

Net weight:
20 kg

Volume packaging:
1,24 mc

Finishing e colours:
IL: 110 trasparent

OS: 500 rust*
101 copper*

*la verniciatura può variare l'intensità luminosa

Cable length:
2 mt white cable with plug

Switch:
Plug (IP44) or connector box (IP66)

Power Input:
AC: 100-240V 50/60Hz
DC: 24V 40W

Power Consumption:
28W

Light source:
Led plate and strip white

Characteristic:
3000K - 4200lm - CRI80 (white)

Standing lamp LED with battery







CE IP66

Power Input:
AC/DC 100-240V 50/60Hz

Power Output:
12V 28Ah lithium battery

Recharging time:
6-8 h

Duration time:
8-10 h

Power Consumption:
28W

Light source:
Led plate and strip white

Characteristic:
3000K - 4200lm - CRI80 (white)

CE IP20

Recharging method:
Battery charger (IP20)
12V 5Ah

AGATA WOOD

Agata Wood è una lampada da interno ed esterno che abbina la moderna tecnologia rotazionale del diffusore in Poleasy alla classicità del treppiede in legno trattato per esterni.

Agata Wood is a lamp suitable for indoor and outdoor use that combines the modern rotational technology used for Poleasy diffuser with classicism of wooden tripod treated for outdoor use.

Piantane Agata Wood
Agata Wood standing lamps

Standing lamp





CE IP20

Material:
Poleasy
Wood legs

Packages:
2

Net weight:
13 kg

Volume packaging:
0,34 mc (lampshade)
0,23 mc (structure)

IP44

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt white cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

CE IP66

Material:
Poleasy
Wood legs

Packages:
2

Net weight:
13 kg

Volume packaging:
0,34 mc (lampshade)
0,23 mc (structure)

Finishing:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 7.5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging time:
6 h.

Duration time:
8-10 h.

AMPOULE

Una goccia di luce, una forma archetipa e pura che nel suo dinamico slancio racconta l'ineguagliabile poesia del dono di un fiore.
Questo il pensiero ispiratore di un vaso gigante per un unico fiore, un'opera che caratterizza ogni spazio con la sua semplicità, raccontando la magia della sua storia.
Il set comprende anche Ampoule S, per una presenza elegante a centro tavola

A drop of light, an archetypal and pure form that in its dynamic impetus tells of the unique poem of a flower gift.
This is the inspiring thought of a giant vase for a single flower, a work that characterises every space with its simplicity , telling the magic of its history.
The set also includes Ampoule S, an elegant presence in the middle of the table.

Piantane Ampoule XI
Ampoule XI standing lamps

Table



CE IP20

Material:
Poleasy

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,8 mt trasparet cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)

Power Input:
220-240V - 50/60Hz

Power Consumption:
1W

Light source:
G9 Led

Characteristic:
2700K - 55lm

CE IP66

Material:
Poleasy

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
1,8W

Light source:
RGBW Led

Characteristic:
2700K - 25lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

Standing lamp





CE IP20

Material:
Poleasy

Net weight:
16 kg

Volume packaging:
0,76 mc

IP20 IP66

Finishing e colours:
IL: 110 trasparent

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44) or connector box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

CE IP66

Material:
Poleasy

Net weight:
16 kg

Volume packaging:
0,76 mc

Finishing:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 7.5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging time:
6 h.

Duration time:
8-10 h.

TU LIP

Allegri, informali, casual ed eleganti, sono i Tulip S e Tulip XL le lampade MYYOUR adatte per l'indoor e l'outdoor. Tulip S dalle dimensioni ridotte si adatta agevolmente come lampada di cortesia da tavolo.

Lovely, casual, and smart, Tulip S and Tulip XL bare the lamps MYYOUR presents for in and outdoor use.
The first one is really designed as a signal light or courtesy table lamp.

Piantane Tulip XL
Tulip XL standing lamps

Piantane Tulip XL
Tulip XL standing lamps

Table



CE IP20

Material:
Poleasy

Net weight:
0,3 kg

Volume packaging:
0,01 mc

Finishing e colours:
IL: 110 trasparent
388 orange
404 lilac
662 green

Cable length:
1,8 mt trasparet cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)

Power Input:
220-240V - 50/60Hz

Power Consumption:
1W

Light source:
G9 Led

Characteristic:
2700K - 55lm

Standing lamp





h(m)	AVR E (lux)C	ENTER E(lux)	d(cm)
0.5	332	102	100
1.50	37	11	300
3.00	9	3	600

CE IP20 IP44

Material:
Poleasy

Net weight:
7 kg

Volume packaging:
0,22 mc

Finishing e colours:
IL: **110** trasparent
388 orange
404 lilac
662 green

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
220-240V - 50/60Hz
110-277V - 50/60Hz

Power Consumption:
28W

Light source:
Fluorescent tube (T528W)

Characteristic:
4000K - 96lm

BABY LOVE

Lampada ornamentale dallo stilizzato profilo di rosa che può assumere diverse forme:
piantana in due altezze, lampada da tavolo, lampadario a soffitto, applique a parete e lampada da esterno nelle versioni waterproof e giardino, dove il suo disegno è pensato per favorire il più rapido e completo smaltimento dell'acqua piovana.

Ornamental stylized lamp with a rose profile that can take several forms:
floor lamp available in two heights, elegant table lamp, ceiling lamp, wall lamps and outdoor lamp in waterproof and garden version, where its design is thought to facilitate the more rapid and complete disposal of rainwater.

Waterproof



CE IP66

Material:
Poleasy
Stainless steel base

Net weight:
2,6 kg

Volume packaging:
0,10 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

Garden







IP44 IP66

Material:
Poleasy
White metal structure

Net weight:
8,5 kg

Volume packaging:
0,30 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)
- Connector box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Standing lamp







CE IP20 IP44

Material:
Poleasy
White metal structure

Net weight:
8,5 kg

Volume packaging:
0,30 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44) or connector box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Wall / Ceiling







CE IP66

Material:
Poleasy

Net weight:
1,9 kg

Volume packaging:
0,10 mc

Finishing e colours:
IL: 110 trasparent

Cable length:

Switch:

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Suspension







CE IP20

Material:
Poleasy
White metal structure

Net weight:
2,6 kg

Volume packaging:
0,10 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,8 mt trasparet cable with plug (version table)
2 mt transparent cable (version suspension)

Switch:

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:



Indoor rose ceiling detail

Table







CE IP20

Material:
Poleasy
White metal structure

Net weight:
2,6 kg

Volume packaging:
0,10 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,8 mt trasparet cable with plug (version table)
2 mt transparent cable (version suspension)

Switch:
- ON/OFF switch fitted on the power cord (IP20)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

PANDORA

E' la natura ad inspirare le forme di Pandora, che vivono del riverbero della loro texture minimale.
Entità eteree che grazie alle numerose combinazioni cromatiche e finiture creano un set di sedute e tavolini informali.

It's the nature inspiring the shapes of Pandora, that live in the echoes of their minimal texture.
Ethereal entities that thanks to the numerous chroma- tic combinations and finishing compose a set of informal chairs and tables.

Pandora S e M lampade da terra, piantane Pandora L, divano Modì Zero
Pandora S and M floor lamps, Pandora L standing lamps , Modì Zero sofa.

Lampade a sospensione Pandora S, M, L
Suspension lamps Pandora S, M, L

Standing lamp



S



M



L





IP20 **IP44**

Material:
Poleasy
White metal structure

Packages:
2

Net weight:
15,5 kg (S)
16 kg (M - L)

Volume packaging:
0,11 + 0,29 mc (S)
0,09 +0,20 mc(M)
0,12 + 0,21 mc (L)

Finishing e colours:
IL: 110 trasparent

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt white cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb (diam. max 74mm)

Characteristic:

Standing lamp



XL

XL with wood legs



CE IP20 IP44

Material:
Poleasy
White metal structure
Wood legs

Packages:
2

Net weight:
9 kg (XL)
4 kg (XL w/wood legs)

Volume packaging:
0,14 + 0,06 mc (XL)
0,14 +0,01 mc (XL-wood)

Finishing e colours:
IL: 110 trasparent

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt white cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb (diam. max 74mm)

Characteristic:

Suspension





CE IP20 IP66

Material:
Poleasy

Packages:
1

Net weight:
3,5 kg (S)
4 kg (M - L)

Volume packaging:
0,11 mc (lampshade S)
0,09 mc (lampshade M)
0,12 mc (lampshade L)

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable + suspension steel wire (IP20)
2 mt black cable

Switch:
Connection box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Indoor rose ceiling detail

Outdoor rose ceiling detail

Suspension



XL



CE IP20 IP66

Material:
Poleasy

Packages:
1

Net weight:
3,5 kg (XL)

Volume packaging:
0,14 mc (lampshade XL)

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable + suspension steel wire (IP20)
2 mt black cable

Switch:
Connection box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Indoor rose ceiling detail



Outdoor rose ceiling detail

Floor lamp



CE IP20 IP44

Material:
Poleasy

Packages:
1

Net weight:
3,5 kg (S)
4 kg (M - L)

Volume packaging:
0,11 mc (lampshade S)
0,09 mc (lampshade M)
0,12 mc (lampshade L)

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Floating





CE IP66

Material:
Poleasy

Packages:
1

Net weight:
3,5 kg (S)

Volume packaging:
0,11 mc

IP44

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor:
AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

EL IN

Elin single ligth suspension







CE IP20 IP66

Material:
Poleasy

Packages:
1

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
GS: **602** Ivory
617 light grey
759 marsala

Lampshade available only 110 transparent colour.

OV: **177** pearly copper
52 gold
150 light blue

Cable length:
2 mt transparent cable + suspension steel wire
2 mt black cable

Switch:
Connection box

Power Input:
110-270V - 50/60Hz

Power Consumption:
10W

Light source:
Led plate

Characteristic:
4000K - 1100lm - CRI80

Ceiling rose detail

Suspension







CE IP20 IP66

Material:
Poleasy

Packages:
1

Net weight:
2,5 kg

Volume packaging:
0,25 mc

Finishing e colours:
GS: 602 Ivory
617 light grey
759 marsala

Lampshade available only 110 transparent colour.

OV: 177 pearly copper
52 gold
150 light blue

Cable length:
2 mt transparent cable + suspension steel wire
2 mt black cable

Switch:
Connection box

Power Input:
110-270V - 50/60Hz

Power Consumption:
10W

Light source:
Led plate

Characteristic:
4000K - 1100lm - CRI80

Ceiling rose detail

Suspension





h(m)	AVR E (lux)	CENTER E(lux)	d(cm)
0.5	233	429	150
1.50	26	48	450
3.00	6	12	900

CE IP20 IP66

Material:
Poleasy
Matt black metal

Packages:
1

Net weight:
10 kg

Volume packaging:
0,19 mc

Finishing e colours:
GS: 602 Ivory
617 light grey
759 marsala

Lampshade available only 110 transparent colour.

OV: 177 pearly copper
52 gold
150 light blue

Cable length:
2 mt black cable+ suspension steel wire

Switch:
Connection box

Power Input:
110-270V - 50/60Hz

Power Consumption:
10W

Light source:
Led plate

Characteristic:
4000K - 1100lm - CRI80

Ceiling rose detail

Standing lamp







CE IP20

Material:
Poleasy
Matt black aluminium structure

Packages:
1

Net weight:
8 kg

Volume packaging:
0,10 mc (h160)
0,12 mc (h180)

IP44

Finishing e colours:
GS: 602 Ivory
617 light grey
759 marsal

Lampshade
available only 110
transparent colour.

OV: 177 pearly copper
52 gold
150 light blue

Cable length:
3 mt trasparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-270V - 50/60Hz

Power Consumption:
10W

Light source:
Led plate

Characteristic:
4000K - 1100lm - CRI80

NE
FOS

Sospensioni Nefos
Nefos suspensions

Cuscini Morfeo
Morfeo pillows

Tappeti Teo
Teo rugs

Suspension



M



L



AVERAGE BEAM ANGLE(50%):235.6 DEG



CE IP20 IP66

Material:
Poleasy

Net weight:
7 kg (Nefos M)
10 kg (Nefos L)

Volume packaging:
0,24 mc (Nefos M)
0,45 mc (Nefos L)

Finishing e colours:
IL: 110 transparent

Cable length:
2 mt white cable

Switch:
Connection box

Power Input:
110-270V 50/60Hz

Power Consumption:
2x32W E27 (Nefos M)
3x 32W E27 (Nefos L)

Light source:
Bulb

Characteristic:

Ceiling rose detail

FUNNEL

Sospensioni Funnel S e L
Funnel S e L suspensions

Sospensioni Funnel L nella finitura OS ossidato rame
Funnel L suspensions lamp in OS oxidated copper finishing

Suspension



S



M





CE IP44 IP66

Material:
Poleasy

Net weight:
1 kg (Funnel S)
2 kg (Funnel M)
3,5 kg (Funnel L)

Volume packaging:
0,018 mc (Funnel S)
0,070 mc (Funnel M)

Finishing e colours:
IL: 110 transparent

VP: 162 dark pearl
150 light blue
500 rust
101 copper

Cable length:
2 mt black cable
6mt black cable with plug (version portable, IP44)

Switch:
Connection box

Power Input:
220-240V 50/60Hz

Power Consumption:
5W (Funnel S - M)

Light source:
G9 Led

Characteristic:
3000K - 330lm (Funnel S - M)

Ceiling rose detail

Suspension



L



AVERAGE BEAM ANGLE(50%):105.7 DEG



CE IP44 IP66

Material:
Poleasy

Net weight:
3,5 kg (Funnel L)

Volume packaging:
0,15 mc (Funnel L)

Finishing e colours:
IL: 110 transparent

VP: 162 dark pearl
150 light blue
500 rust
101 copper

Cable length:
2 mt black cable
6mt black cable with plug (version portable, IP44)

Switch:
Connection box

Power Input:
220-240V 50/60Hz

Power Consumption:
1x 32W E27 (Funnel L)

Light source:
G9 Led
Bulb (Funnel L)

Characteristic:

L battery version

CE IP66

Material:
Poleasy

Net weight:
3,5 kg

Volume packaging:
0,11 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

BELL

Bell lights è una linea di 3 lampade S, M e L realizzata in Poleasy rotazionale adatta all'utilizzo interno ed esterno.
Il design segue il filone industriale, così come la verniciatura vintage painting che grazie all'irregolarità della micro punti- natura e alla ombreggiatura accentuano il concetto vintage replicando l'effetto del tempo che scorre, rendendo ogni singolo articolo irreplicabile.
La versione non verniciata per alcune misure è disponibile oltre al modello lampada a sospensione e lampada porta- tile con spina anche con kit RGBW a batteria.

Bell lights is a line of three lamps S, M and L made of rota- tional Poleasy suitable for indoor and outdoor use.
The design follows the "industrial" trend, as well as vintage painting which thanks to the irregularity of micro dots and shading, accentuate the vintage concept by replicating the effect of passing time, making unique every single item.
In addition to the suspension model, for some sizes, the unpainted version is also available as portable lamp with plug or with RGBW battery kit.

Sospensioni Bell L
Bell L suspensions

Sospensioni Bell S e M, Bell S portatile con cavo
Bell S and M suspensions, Bell S portable with plug

Suspension / portable with plug





AVERAGE BEAM ANGLE(50%):105.7 DEG

h(m)	AVR E (lux)	CENTER E(lux)	d(cm)
0.5	27	82	132
1.50	3	10	398
3.00	0.7	2	800

CE IP44 IP66

Material:
Poleasy

Net weight:
1 kg (Bell S)

Volume packaging:
0,018 mc (Bell S)

Finishing e colours:
IL: 110 transparent

VP: 162 dark pearl
150 light blue
500 rust
101 copper

Cable length:
2 mt black cable
6mt black cable with plug (version portable, IP44)

Switch:
Connection box

Power Input:
220-240V 50/60Hz

Power Consumption:
5W (Bell S)

Light source:
G9 Led

Characteristic:
3000K - 330lm (Bell S)

Ceiling rose detail

Suspension / portable with plug







CE IP44 IP66

Material:
Poleasy

Net weight:
2 kg (Bell M)
3,5 kg (Bell L)

Volume packaging:
0,070 mc (Bell M)
0,15 mc (Bell L)

Finishing e colours:
IL: 110 transparent

VP: 162 dark pearl
150 light blue
500 rust
101 copper

Cable length:
2 mt black cable
6mt black cable with plug
(version portable, IP44)

Switch:
Connection box (IP 66)

Power Input:
220-240V 50/60Hz

Power Consumption:
1x 32W E27 (Bell M - L)

Light source:
G9 Led
Bulb (Bell L)

Characteristic:

M - L battery version

CE IP66

Material:
Poleasy

Net weight:
3,5 kg

Volume packaging:
0,11 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

BONSAI

Lampada da tavolo bonsai
Bonsai table lamp

Table



IP20 **IP44**

Material:
Poleasy

Net weight:
1,7 kg

Volume packaging:
0,10 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
AC: 170-250V 50/60Hz
DC: 12V 1A

Power Consumption:
4,8W

Light source:
Strip Led

Characteristic:
5800/6500K - 880lm - CRI80

IP66

Material:
Poleasy

Net weight:
3,5 kg

Volume packaging:
0,11 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

CRYSTAL

Floor lamp

40



60



CE IP20

IP44 IP66

Material:
Poleasy

Packages:
1

Net weight:
1,5 kg (Crystal40)
4 kg (Crystal60)

Volume packaging:
0,06 mc (Crystal40)
0,21 mc (Crystal60)

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable
2 mt black cable with plug (IP44)

Switch:
ON/OFF switch fitted on the power cord (IP20)
Plug (IP44) or connector box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Floor lamp version battery

CE IP66

Material:
Poleasy

Net weight:
3,5 kg

Volume packaging:
0,11 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

Floor lamp



80



100



CE IP20 IP44 IP66

Material:
Poleasy

Packages:
1

Net weight:
6 kg (Crystal80)
11 kg (Crystal100)

Volume packaging:
0,51 mc (Crystal80)
1 mc (Crystal100)

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable
2 mt black cable with plug (IP44)

Switch:
ON/OFF switch fitted on the power cord (IP20)
Plug (IP44) or connector box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Floor lamp version battery

CE IP66

Material:
Poleasy

Net weight:
3,5 kg

Volume packaging:
0,11 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 651m

Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h.

Suspension



CE IP20 IP44 IP66

Material:
Poleasy

Packages:
1

Net weight:
1,5 kg (Crystal40)
4 kg (Crystal60)
6 kg (Crystal80)
11 kg (Crystal100)

Volume packaging:
0,06 mc (Crystal40)
0,21 mc (Crystal60)
0,51 mc (Crystal80)
1 mc (Crystal100)

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable
2 mt black cable

Switch:
Connection box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Indoor rose ceiling detail

Outdoor rose ceiling detail

TRE ES MU ST

Lampada da terra Treesmust e Crystal 40, 60 e 80
Treesmust and Crystal 40, 60 and 80 floor lamps

Floor lamp





CE IP20 — IP44

Material:
Poleasy

Packages:
1 (2pcs/box)

Net weight:
6,5 kg

Volume packaging:
0,43 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
2 mt transparent cable
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

Floor lamp version battery

CE IP66

Material:
Poleasy

Packages:
1 (2pcs/box)

Net weight:
6,5 kg

Volume packaging:
0,43 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 651m

Recharging method:
Cable rechargeable

Recharging time:
6 h.

Duration time:
8-10 h.

LIGHT TALES



Lampade Mobi XL e divano Nova S
Mobi XL lamps and Nova S sofa

Table

Mobi



Cat



Rose



Tin



Tri



CE IP20

Material:
Poleasy

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,8 mt trasparet cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)

Power Input:
220-240V - 50/60Hz

Power Consumption:
1W

Light source:
G9 Led

Characteristic:
2700K - 55lm

Table

Mobi



Cat



Rose



Tin



Tri



version battery

IP66

Material:
Poleasy

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
IL: 110 trasparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Cable rechargeable

Recharging time:
6 h.

Duration time:
8-10 h.

TECH INDEX

Finiture e colori
Finishes and colors

IL - Illuminable
171 - 172

OV - Direct Painting
173 - 174

Designer

Designer
174 - 175

ILLUMI NABLE

IL

transparent **110**

IL

yellow **612**

IL

orange **388**

IL

lilac **404**

IL

light blue **5513**

IL

green **662**

Per conoscere i colori disponibili di ogni articolo consultare il listino prezzi.
To know the available colours for each items, please check the price list.

DIRECT PAINTING

pink **3380**

gold **52**

light blue **150**

graphite **9405**

pearl gray **180**

dark pearl **162**

pearly copper **177**

Per conoscere i colori disponibili di ogni articolo consultare il listino prezzi.
To know the available colours for each items, please check the price list.

PAOLO DE LUCCHI

About

Born in 1980 in Verona and graduated in Industrial Design at Politecnico di Milano, after a three years collaboration with Ludovica+Roberto Palomba in Milan, in 2007 he setup his own studio in Verona where he works with other professionals in architecture, communication and graphics.
His works have been showcased in many expositions in Rome, Milan, New York, Paris, São Paulo, Miami, London and Dubai. His works have been featured by NY Times, Herald Tribune, Abitare, Interni, Ottagono, Residence, Icon, Elle Decor, Rolling Stone.

Products

Nefos

BROGLIATO TRAVERSO

About

Alberto Brogliato and Federico Traverso founded BrogliatoTraverso design studio in 2014.
Their approach to design is 'NO TIME, NO SPACE' and refers to ideate objects with a timeless design.
BrogliatoTraverso work by creating a detailed sign, but almost invisible. With these finely hinted forms, their creations establish deep intimate empathy with the users and their surroundings, respecting both of them.
Their fine simplification process delivers projects addressing the needs of consumers and made for various companies, including Cappellini, Fratelli Guzzini, Infiniti, Il Fanale/Torremato, Myyour. The Studio won many international awards, including the Red Dot Design Award, German Design Award, iF Design Award and Good Design Award.

Products

Mobi
Ampoule
Pandora Collection
Treesmust
Hollywood

MORE DESIGN

About

Moredesign, a company based in Padua founded in 2007, which deals with industrial design in line with market needs following the client's requests.
Our experience allows us to offer all the creative and design contribution to companies that want to stand out by offering multidisciplinary design.
We follow the company and the product in all its development phases by applying innovation in the forms, tightening the designer-company combination giving the guarantee of the final result.
We have worked with the most important Italian and foreign brands and our products are present and exported all over the world.
We are able to rationalize an idea and always have a lateral thinking, with a single objective: to put man and his needs at the center of every project.

Products

Tulip
Penelope
Agata
Agata wood

ANGELETTI & RUZZA

About

After receiving their Degrees in Industrial Design from I.S.I.A. in Rome, Silvana Angeletti and Daniele Ruzza opened their design studio: angeletti ruzza design.
They work with Italian companies such as: TEUCO, FLAMINIA, AZZURRA, F.LLI FANTINI, GUZZINI, COLOMBO DESIGN, IRSAP, SERAFINO ZANI, NEMO, POLTRONA FRAU, GEDY, GRAFF, GEL, INDESIT COMPANY, HOTPOINT/ILLY, FIAM, OLUCE, BRILLIANT, MY HOME COLLECTION, DAA, HARSA, HAMAT, LONDON ART, BRAID, KALON.

Products

Elin

art direction
Laura Pozzi Studio

photography
Federico Marin

Ernesto Mereu
pag. 34_Agata
pag. 137-140 Crystal

Alessandro Di Bon
pag.. 150 - 157 Ligth Tales

graphics
circuitozero

photolitography
GM Studio 1

print

special thanks to
Karpeta
Porto piccolo Trieste
Gardone Riviera
Hostaria della Musica, Modica
Hortus-Anime a Sud, Modica
Comune di Agrigento
Comune di Realmonte
Gaetano e Giusella
Il Cesello, Soligo

Nella stampa su carta la tonalità dei colori non può essere riprodotta fedelmente. MY YOUR si riserva la facoltà di apportare modifiche, in qualsiasi momento e senza preavviso.

Shades of colors cannot be reproduced exactly on printed paper.
MY YOUR is intitled to make modifications at any time and without prior notice.

MY YOUR
Via Nino Bixio 20
35010 Gazzo, PADOVA ITALY

t +39 049 5963419
f +39 049 5963335

info@myyour.eu
www.myyour.eu

MYYOUR®

POOL & RELAX
bluspa

bluspa – pool & relax GmbH
Bachweg 49, 5310 Mondsee
AUSTRIA

Tel. +43 (0)6232 370 84
Mobil +43 (0)664 440 83 43
office@bluspa.at | bluspa.at