






g-plate anchors

galvanized steel w/ stainless steel security sleeve




	base	weight Tolerances +/- 10 lbs	a	b	c	d
			base diameter (tolerances +/- 1/2 ")	g-plate height	security sleeve height	total height
round 	BASE-GV18RND	40 LBS (18 KG)	18.0"	0.5"	10.2"	10.7"
	BASE-GV24RND	75 LBS (34 KG)	24.0"	0.5"	10.2"	10.7"
	BASE-GV30RND	105 LBS (48 KG)	30.0"	0.5"	10.2"	10.7"
"double stack-combo" 	BASE-GV18+24R	115 LBS (52 KG) (2 plates)	24.0"	1.0"	10.2"	11.2"
	BASE-GV18+30R	145 LBS (66 KG) (2 plates)	30.0"	1.0"	10.2"	11.2"
	BASE-GV24+30R	180 LBS (82 KG) (2 plates)	30.0"	1.0"	10.2"	11.2"
	BASE-GV30+30R	210 LBS (95 KG) (2 plates)	30.0"	1.0"	10.2"	11.2"
square 	BASE-GV24SQ	90 LBS (41 KG)	24.0"	0.5"	10.2"	10.7"
	BASE-GV30SQ	140 LBS (64 KG)	30.0"	0.5"	10.2"	10.7"
	BASE-GV24+24SQ	180 LBS (82 KG) (2 plates)	24.0"	0.5"	10.2"	10.7"
	BASE-GV36SQ	200 LBS (90 KG)	36.0"	0.5"	10.2"	10.7"
for MAX parasols 	BASE-GV36SQ	200 LBS (91 KG)	36"	0.5"	17.5"	18"
	BASE-GV30+30SQ	280 LBS (127 KG) (2 plates)	30.0"	1.0"	17.5"	18.5"
	BASE-GV36+36SQ	400 LBS (181 KG) (2 plates)	36.0"	1.0"	17.5"	18.5"
	BASE-GV36X3SQ	600 LBS (272 KG) (3 plates)	36.0"	1.5"	17.5"	19"
	BASE-GV36X4SQ	800 LBS (363 KG) (4 plates)	36.0"	2"	17.5"	19.5"




g-plate anchor covers enhance and stylize g-plate anchor

COVER FOR TOP PLATE ONLY BASE-GV24RND BASE-GV30RND BASE-GV30+30R BASE-GV24SQ BASE-GV24+24SQ BASE-GV36SQ	Powder Coat Colors: ● SILVER MARINE FINISH ○ TEXTURED BRIGHT WHITE ○ SEA SHELL WHITE ● ESPRESSO ● ASH GREY ● HAMMERED BRONZE ● JET BLACK	plantation aluma-TEAK			
		NATURAL	JAVA	WEATHERED	ASPEN WHITE
		 	 	 	 


aluma-crete round

aluminum, concrete filled w/ stainless steel security sleeve



	base	weight Tolerances +/- 10 lbs	a	b	c	d
			base diameter (tolerances +/- 1/2")	aluma-crete plate height	security sleeve height	total height
standard 	BASE-ACF65	65 LBS (30 KG)	20.0"	4"	10.2"	14.2"
	BASE-ACF95	95 LBS (43 KG)	24.0"	4"	10.2"	14.2"
	BASE-ACF150	150 LBS (68 KG)	28.0"	4.63"	10.2"	14.83"
with lift handles 	BASE-ACF200	200 LBS (91 KG)	30.0"	4.56"	10.2"	14.76"
	BASE-ACF250	250 LBS (113 KG)	33.0"	5"	10.2"	15.2"
for MAX parasols with lift handles  for 2 3/8" DIA. & 2 7/8" DIA. stainless steel security stem	BASE-ACF200	200 LBS (91 KG)	30.0"	4.56"	17.5	22.06"
	BASE-ACF250	250 LBS (113 KG)	33.0"	5"	17.5	22.5"

powder coated finish





aluma-teak finish



HALF aluma-crete cube anchor w/ powder coat or aluma-TEAK cover

(stainless steel stem & beauty cover ship with all parasols)




Tolerances +/- 10 lbs

	BASE-AGSP2	<p>HALF FRAME ONLY 94 LBS (42.64 KG)</p>
	K110714	<p>CONCRETE PAVERS 66 LBS (29.94 KG)</p>
	11997	<p>GALVANIZED STEEL PLATE 60.5 LBS (27.44 KG)</p>
	11979	<p>HALF ALUMA-CRETE CUBE COVER ONLY 30.5 LBS (13.83 KG)</p>
	BASE-AGSP26	<p>COMPLETE ASSEMBLY FRAME, HALF PAVERS & COVER 6 PAVERS 520.5 LBS (236 KG)</p>
	BASE-AGSP28	<p>COMPLETE ASSEMBLY FRAME, HALF PAVERS & COVER 8 PAVERS 652.5 LBS (296 KG))</p>
	BASE-AGSP2	<p>COMPLETE ASSEMBLY FRAME, PAVERS, GVS PLATES & HALF COVER 8 PAVERS + 2 GVS PLATES 773.5 LBS (351 KG)</p>

full aluma-crete cube anchor w/ powder coat cover

(stainless steel stem & beauty cover ship with all parasols)

Tolerances +/- 10 lbs

	BASE-AGSP	<p>FULL FRAME ONLY 128 LBS (58 KG)</p>
	K110714	<p>CONCRETE PAVERS 66 LBS (30 KG)</p>
	11005	<p>FULL ALUMA CRETE COVER ONLY 43.5 lbs (19.73 kg)</p>
	BASE-AGSP8	<p>COMPLETE ASSEMBLY FRAME, PAVERS & FULL COVER 699.5 LBS (317 KG) 8 PAVERS</p>
	BASE-AGSP12	<p>COMPLETE ASSEMBLY FRAME, PAVERS & FULL COVER 963.5 LBS (437 KG) 12 PAVERS</p>