bay master aluminum classic

essential parasols

The Bay Master parasol with marine-grade aluminum struts is our most durable promotional parasol collection. Intended for most commercial settings, this parasol features an extremely durable and rigid aluminum strut system. Proven in high traffic areas, ocean-front installations and exposed street-side locations, the Bay Master Classic is guaranteed to endure most types of weather conditions.



features:

a. Stainless Steel Acorn Finial
b. Silver Delrin Hub System
c. Manual Lift w/ Stainless Steel Security Pin
d. Reinforced Pocket Construction
e. Reinforced Strut Joints
f. Marine Satin Anodized Mast

shapes & sizes

square

ft.	/	m.
5.5'	/	1.65
6.5'	/	2.0
7.5'	/	2.25
8.0'	/	2.4

octagon

ft.	/	m.
7.5'	/	2.25
9.0'	/	2.75
10.5'	/	3.2

hexagon

ft.	/	m.
7.0'	/	2.15
8.5'	/	2.6
10.0'	/	3.0

rectangle

ft.	/	m.
6'x 9'	/	1.8 x 2.75

global headquarters
2900 NW 35th Street, Miami, FL 33142 USA | 305.634.5116 | info@tuuci.com

european office
Nedervonder 17, 5061 JP Oisterwijk, The Netherlands | +31.13.522.0471 | info@tuuci.eu

tuuci.com

vineyard - dura-teak classic

essential parasols

Classic styling and durable function define this commercial grade parasol series. Featuring TUUCI's exclusive "Dura-TEAK" rigid fiberglass strut system, this umbrella is guaranteed to beat the worst weather conditions while maintaining its elegant wood-grain look for years of uninterrupted service.

features:

a. Stainless Steel Acorn Finial
b. Copper Delrin Hub System
c. Reinforced Pocket Construction
d. Reinforced Strut Joints
e. Dura-TEAK Mast
f. Manual Lift w/ Stainless Steel Security Pin

shapes & sizes

square

ft.	/	m.
5.5'	/	1.65
6.5'	/	2.0
7.5'	/	2.25
8.0'	/	2.4

octagon

ft.	/	m.
7.5'	/	2.25
9.0'	/	2.75
10.5'	/	3.2

hexagon

ft.	/	m.
7.0'	/	2.15
8.5'	/	2.6
10.0'	/	3.0

rectangle

ft.	/	m.
6' x 9'	/	1.8 x 2.75

finish options

dura-teak finish

natural

global headquarters
2900 NW 35th Street, Miami, FL 33142 USA | 305.634.5116 | info@tuuci.com

european office
Nedervonder 17, 5061 JP Oisterwijk, The Netherlands | +31.13.522.0471 | info@tuuci.eu

tuuci.com

manual lift with stainless steel pin



		applies to				mast height (open position)	canopy clearance	mast height (closed position)	table clearance	closed parasol width	flat to flat (Open Umbrella)	point to point	canopy area coverage
classic	sizes [ft/m]	premium		essential		a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	ft²
		ocean master	plantation	bay master	vineyard								
square	5.5' / 1.65m	✓	✓	✓	✓	93 / 237	78 / 198	93 / 237	47 / 119	10 / 26	65 / 166	91 / 232	28.75
	6.5' / 2.0m	✓	✓	✓	✓	93 / 237	76 / 193	93 / 237	34 / 86	15 / 38	80 / 204	113 / 288	44.5
	7.5' / 2.25m	✓	✓	✓	✓	97 / 247	79 / 200	97 / 247	35 / 89	13 / 33	88 / 224	125 / 318	54.25
	8.0′ / 2.4m *(4 ribs)*	*n/a*	*n/a*	✓	✓	97 / 247	74 / 188	97 / 247	28 / 71	11 / 28	96 / 244	135 / 343	72
	8.5′ / 2.6m *(8 ribs)*	✓	✓	*n/a*	*n/a*	97 / 247	74 / 188	97 / 247	23 / 58	13 / 33	102 / 260	143 / 363	72
octagon	6.0' / 1.8m	✓	✓	*n/a*	*n/a*	91 / 232	78 / 198	91 / 232	52 / 132	11 / 28	68 / 173	73 / 186	26
	7.5' / 2.25m	✓	✓	✓	✓	93 / 237	78 / 198	93 / 237	46 / 117	15 / 38	85 / 216	92 / 234	40.75
	9.0' / 2.75m	✓	✓	✓	✓	93 / 237	74 / 188	93 / 237	35 / 89	13 / 33	105 / 267	114 / 290	62.75
	10.5' / 3.2m	✓	✓	✓	✓	97 / 247	80 / 203	97 / 247	32 / 81	14 / 36	116 / 295	125 / 318	76.75
	11.5' / 3.6m	✓	✓	*n/a*	*n/a*	97 / 247	75 / 190	97 / 247	27 / 68	11 / 28	125 / 318	135 / 343	89.5
hexagon	7.0' / 2.15m	✓	✓	✓	✓	93 / 237	78 / 198	93 / 237	46 / 117	13 / 33	80 / 204	93 / 236	37.5
	8.5' / 2.6m	✓	✓	✓	✓	93 / 237	75 / 190.5	93 / 237	35 / 88	13 / 33	99 / 251.5	114 / 290	57.5
	10.0' /3.0m	✓	✓	✓	✓	97 / 247	80 / 203	97 / 247	32 / 81	14 / 36	108 / 275	125 / 318	70.5
	11.0' / 3.4m	✓	✓	*n/a*	*n/a*	97 / 247	75 / 190	97 / 247	27 / 68	14 / 36	117 / 298	135 / 343	82.25
rectangle	5.0' x 8.0' / 1.5m x 2.45m	✓	✓	*n/a*	*n/a*	97 / 247	80 / 203	97 / 247	38 / 96	12 / 31	f¹ X f² 57x98 / 145x249	113 / 288	38.75
	6.0' x 9.0' / 1.8m x 2.75m	✓	✓	✓	✓	97 / 247	72 / 183	97 / 247	29 / 74	12 / 31	f¹ X f² 75x112 / 191x285	134 / 340	58.25

Dimension Tolerances ± 2″
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

Pole Diameter 1.5″
base height not included

ocean master, plantation, bay master & vineyard classic

"auto-loc-lift" marine pulley lift



		applies to				mast height (open position)	canopy clearance	mast height (closed position)	table clearance	closed parasol width	flat to flat (Open Umbrella)	point to point	canopy area coverage
classic	sizes [ft/m]	premium		essential		a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	ft²
		ocean master	plantation	bay master	vineyard								
square	5.5' / 1.65m	✓	✓	✓	✓	93 / 237	78 / 198	93 / 237	45 / 114	11 / 28	64 / 163	91 / 232	28.75
	6.5' / 2.0m	✓	✓	✓	✓	93 / 237	75 / 190.5	93 / 237	32 / 81	10 / 25	79 / 201	113 / 288	44.5
	7.5' / 2.25m	✓	✓	✓	✓	97 / 247	78 / 198	97 / 247	33 / 84	12 / 30	88 / 224	125 / 318	54.25
	8.0' / 2.4m *(4 ribs)*	*n/a*	*n/a*	✓	✓	93 / 237	70 / 190.5	93 / 237	24 / 60	13 / 33	95 / 241	135 / 343	72
	8.5' / 2.6m *(8 ribs)*	✓	✓	*n/a*	*n/a*	96.5 / 245	73 / 185	96.5 / 245	23 / 58	9 / 23	102 / 260	144 / 366	72
	10.0' / 3.0m *auto-scope*	✓	✓	*n/a*	*n/a*	103 / 262	84 / 213	118 / 300	32 / 81	15 / 38	119 / 303	170 / 432	94.25
octagon	6.0' / 1.8m	✓	✓	*n/a*	*n/a*	91 / 232	77 / 195	91 / 232	52 / 132	11 / 28	68 / 173	73 / 186	26
	7.5' / 2.25m	✓	✓	✓	✓	93 / 237	78 / 198	93 / 237	45 / 114	16 / 41	85 / 216	92 / 234	40.75
	9.0' / 2.75m	✓	✓	✓	✓	93 / 237	74 / 188	93 / 237	36 / 91	10 / 25	105 / 267	113 / 288	62.75
	10.5' / 3.2m	✓	✓	✓	✓	97 / 247	78 / 198	97 / 247	32 / 81	12 / 31	115 / 293	125 / 318	76.75
	11.5' / 3.6m	✓	✓	*n/a*	*n/a*	97 / 247	75 / 190	97 / 247	27 / 68	11 / 28	125 / 318	135 / 343	89.5
	13.0' / 4.0m *auto-scope*	✓	✓	*n/a*	*n/a*	100 / 254	83 / 210	113 / 288	30 / 76	12 / 31	142 / 361	154 / 392	116.5
hexagon	7.0' / 2.15m	✓	✓	✓	✓	93 / 237	80 / 203	93 / 237	45 / 114	11 / 28	79 / 201	92 / 234	37.5
	8.5' / 2.6m	✓	✓	✓	✓	93 / 237	76 / 193	93 / 237	35 / 89	12 / 31	100 / 254	113 / 288	57.5
	10.0' /3.0m	✓	✓	✓	✓	97 / 247	77 / 196	97 / 247	32 / 81	12 / 31	108 / 275	125 / 318	70.5
	11.0' / 3.4m	✓	✓	*n/a*	*n/a*	97 / 247	73 / 185	97 / 247	28 / 71	14 / 36	116 / 295	135 / 343	82.25
rectangle	5.0' x 8.0' / 1.5m x 2.45m	✓	✓	*n/a*	*n/a*	97 / 247	80 / 203	97 / 247	39 / 99	11 / 28	f¹ X f² 57x98 145x249	113 / 288	38.75
	6.0' x 9.0' / 1.8m x 2.75m	✓	✓	✓	✓	97 / 247	74 / 188	97 / 247	28 / 71	7 / 18	f¹ X f² 75x112 191x285	134 / 340	58.25
	8.0' x 12.0' / 2.45m x 3.65m *auto-scope*	✓	✓	*n/a*	*n/a*	103 / 262	86 / 218	115 / 293	31 / 79	13 / 33	f¹ X f² 95x142 242x361	171 / 435	93.75

Dimension Tolerances ± 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

Pole Diameter 1.5"
base height not included

ocean master and plantation classic

"easy drive" crank lift sytem



		mast height (open position)	canopy clearance	mast height (closed position)	table clearance	closed parasol width	flat to flat (Open Umbrella)	point to point	canopy area coverage	crank handle clearance
classic	sizes [ft/m]	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	ft²	
square	6.5' / 2.0m	95 / 242	75 / 190	95 / 242	38 / 96	12 / 31	80 / 204	113 / 288	44.5	
	7.5' / 2.25m	95 / 242	73 / 185	95 / 242	32 / 81	13 / 33	88 / 244	124 / 315	54.25	
	8.5' / 2.6m	106 / 210	82 / 208	106 / 270	32 / 81	13 / 33	101 / 257	143 / 363	72	
	10.0' / 3.0m *telescoping mast*	104.5 / 265	83 / 210	139 / 354	52 / 132	15 / 81	119.5 / 304	169 / 430	99.25	
octagon	9.0' / 2.75m	94 / 188	80 / 203	94 / 188	37 / 94	15 / 81	105.5 / 268	114 / 290	62.75	
	10.5' / 3.2m	94 / 188	77 / 196	94 / 188	32 / 81	16 / 41	115 / 293	125 / 317.5	76.75	
	11.5' / 3.6m *telescoping mast*	97 / 247	75 / 190	121 / 308	51 / 130	16 / 41	125 / 318	135 / 343	89.5	
	13.0' / 4.0m *telescoping mast*	102 / 259	77 / 196	130.5 / 331	53 / 135	17 / 43	143 / 363	155 / 394	115	
hexagon	8.5' / 2.6m	95 / 242	78 / 198	95 / 242	36 / 91	11 / 28	98 / 249	113 / 288	57.5	
	10.0' /3.0m	95 / 242	77 / 196	95 / 242	33 / 84	16 / 41	109 / 277	125 / 317.5	70.5	
	11.0' / 3.4m	99 / 252	77 / 195	99 / 252	30 / 76	12 / 31	117 / 298	135 / 343	82.25	
rectangle	6.0' x 9.0' / 1.8m x 2.75m	98 / 249	76 / 143	98 / 249	29 / 73	13 / 33	f¹ X f² 75x112 191x285	135 / 343	58.25	
	8.0' x 12.0' / 2.45m x 3.65m *telescoping mast*	100 / 254	87 / 221	134 / 340	48.5 /	52 / 132	f¹ X f² 94x141 239x359	172 / 437	92	



Dimension Tolerances ± 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes

Pole Diameter 1.5"
base height not included

ocean master, plantation, bay master & vineyard classic *(cont.)*

vent and pocket options

no vent | single vent | double vent* | contrasting pockets | contrasting pockets and vent

profile options

market | fishtail* | valance straight | valance scalloped

canopy options

binding | accent border

panel options

single solid color | alternating panels | alternating panel & alternating valance | alternating panel and matching valance

lifting system options

manual with pin† | auto-loc marine lift | crank system

finial

premium | essential



venice *aluminum* | acorn *aluminum*

finish options:

ocean master classic

standard

polished aluminum

powder coat

textured bright white

sea shell white

espresso

ash grey

hammered bronze

jet black

plantation classic

natural aluma-TEAK

java aluma-TEAK

weathered aluma-TEAK

aspen white aluma-TEAK

bay master classic



satin anodized aluminum

vineyard classic

dura-TEAK mast & struts

natural

Double wind vent & fishtail profile only available on octagon & hexagon shapes